Appl. No.: 09/880,840

Art Unit: 2624

Reply filed November 1, 2005

Page 5 of 14

CLAIM SET (No Changes)

Claims 1-3 (Canceled)

4. (Previously Presented) An image correction apparatus comprising:

a reflective scanner for reading a print image which has an identifying

mark provided at a position of a defect on a scanned image of the print image;

and

an image correction section for correcting image data of said scanned

image by utilizing the position of said identifying mark on the scanned image

read by the reflective scanner.

5. (Previously Presented) The image correction apparatus according to

claim 4, wherein the image correction section corrects image data of the

scanned image data by comparing the image data of the scanned image with

fine scan image data of the print image.

6. (Previously Presented) The image correction apparatus according to

claim 4, further comprising:

Appl. No.: 09/880,840

Art Unit: 2624

Reply filed November 1, 2005

Page 6 of 14

an image display unit for displaying an image of said image data in an

enlarged state corresponding to the position of said identifying mark on said

scanned image.

7. (Previously Presented) The image correction apparatus according to

claim 4, wherein said image correction section detects the position of said

identifying mark by comparing the image data of said print image with the

image data of said scanned image.

8. (Withdrawn) A digital photoprinter comprising:

a scanner for photoelectrically reading a print image on a film; and

an image recording unit, said image recording unit further including

an image processing apparatus for performing image processing on image data

read by the scanner;

an image correction apparatus for correcting a defect in the image data

read by the scanner;

wherein said image correction apparatus further includes

a reflective scanner for reading a print image which has an identifying

mark provided at a position of a defect on a scanned image of the print image;

and

Appl. No.: 09/880,840

Art Unit: 2624

Reply filed November 1, 2005

Page 7 of 14

an image correction section for correcting image data of said scanned

image by utilizing the position of said identifying mark on the scanned image

read by the reflective scanner; and

a printer for outputting a print that has been processed and corrected in

the digital photoprinter.

9. (Withdrawn) The digital photoprinter according to claim 8, wherein

the image correction section corrects image data of the scanned image data by

comparing the image data of the scanned image with fine scan image data of

the print image.

10. (Withdrawn) The digital photoprinter according to claim 8, further

comprising:

an image display unit for displaying an image of said image data in an

enlarged state corresponding to the position of said identifying mark on said

scanned image.

11. (Withdrawn) The digital photoprinter according to claim 8, wherein

said image correction section detects the position of said identifying mark by

Appl. No.: 09/880,840

Art Unit: 2624

Reply filed November 1, 2005

Page 8 of 14

comparing the image data of said print image with the image data of said scanned image.

- 12. (Previously Presented) The image correction apparatus according to claim 4, wherein the identifying mark is manually provided by an operator.
- 13. (Withdrawn) The digital photoprinter according to claim 8, wherein the identifying mark is manually provided by an operator.